

Dekor	Struktur	P	Stärke	Stärke	Stärke
W960	SM	1		19	
W960	ST7	1	8	19	
W980	SM	1	8 / 12 / 16	19 / 19P3	25
W980	ST15	1	8 / 12 / 16	19 / 19P3	25 / 38
W980	ST7	1	8	19	25
W990	ST7	2	8	19	25
W990	ST9	2	8	19	25
W1000	ST9	3	8	19	25
W1000	ST19	6	8	19	
W1000	ST38	9	8	19	25
W1000	TM9			19	
W1000	PM / ST9			19	
W1001	ST9 / ML			19,1	
W1100	ST9	4	8	19	
W1100	PG / ST9			19	
W1100	PM / ST9			19	
W1200	ST9	4	8	19	
U104	ST9	3	8	19	
U113	ST9	4	8	19	
U114	ST9	5	8	19	
U115	ST9	5	8	19	
U125	ST9	6	8	19	
U156	ST9	3	8	19	25
U201	ST9	5	8	19	
U201	TM9			19	
U211	ST9	6	8	19	
U216	ST9	4	8	19	
U222	ST9	4	8	19	
U311	ST9	6	8	19	
U323	ST9	6	8	19	
U325	ST9	6	8	19	
U335	ST9	6	8	19	
U399	PM / ST9			19	
U502	ST9	6	8	19	
U504	ST9	6	8	19	
U525	ST9	5		19	
U540	ST9	6		19	
U599	ST9	6	8	19	
U599	PM / ST9			19	
U604	ST9	6	8	19	
U608	ST9	6		19	
U630	ST9	5	8	19	
U636	ST9	6	8	19	
U638	ST9	6		19	
U665	ST9	6	8	19	
U665	PM / ST9			19	
U699	ST9	4	8	19	
U702	ST9	4	8	19	
U702	PG / ST9			19	
U702	PM / ST9			19	
U705	ST9	4		19	

PKS Zuschnittdekore ab Juni 2024

U705	PM / ST9			19	
U707	ST9	4	8	19	
U708	ST9	3	8 / 16	19	25
U708	PG / ST9			19	
U708	PM / ST9			19	
U727	ST9	3	8 / 16	19	
U732	ST9	4	8	19	25
U732	PG / ST9			19	
U732	PM / ST9			19	
U740	ST9	5	8	19	
U740	TM9			19	
U741	ST9	5	8	19	
U748	ST9	5		19	
U750	ST9	4	8	19	
U750	TM9			19	
U763	ST9	4	8	19	
U767	ST9	5	8	19	
U767	PM / ST9			19	
U775	ST9	4	8	19	25
U780	ST9	5	8	19	
U788	ST9	5	8	19	
U830	ST9	6		19	
U899	ST9	5	8	19	
U960	ST9	4	8	19	25
U960	TM9			19	
U961	ST7	3	8 / 16	19	25
U961	PM / ST9			19	
U963	ST9	3	8	19	25
U968	ST9	5	8	19	
U968	TM9			19	
U999	ST7	3	8 / 16	19	25
U999	ST19	6	8	19	25
U999	ST20	7		19	
U999	TM9			19	
U999	TM28			19	
U999	PG / ST9			19	
U999	PM / ST9			19	
H305	ST12	7	8	19	
H309	ST12	7		19	
H1145	ST10	4	8	19	25
H1176	ST37	10	8	19	25
H1180	ST37	10	8	19	25
H1181	ST37	10	8	19	25
H1204	TM22			19	
H1223	ST19	7	8	19	
H1225	ST12	5	8	19	
H1227	TM12			19	
H1228	TM12			19	
H1242	ST10	7	8	19	
H1250	ST36	9	8	19	
H1277	ST9	4	8	19	
H1303	ST12	6	8	19	

PKS Zuschnittdekore ab Juni 2024

H1307	ST19	7	8	19	
H1313	ST10	7		19	
H1318	ST10	4	8	19	
H1344	ST32	10	8	19	25
H1346	ST32	10	8	19	25
H1362	ST12	6		19	
H1367	ST40	10	8	19	25
H1369	ST40	10	8	19	25
H1385	ST40	10	8	19	25
H1386	ST40	10	8	19	25
H1401	ST22	5		19	
H1710	ST10	7		19	
H1714	ST19	7	8	19	
H1715	ST12	5	8	19	
H1732	ST9	4	8	19	
H1910	ST9	4	8	19	25
H2033	ST10	7	8	19	
H3003	ST19	7	8	19	
H3041	TM12			19	
H3043	ST12	4	8	19	
H3133	ST12	5	8	19	
H3146	ST19	7	8	19	
H3152	ST19	7	8	19	
H3157	ST12	5	8	19	
H3158	ST19	7	8	19	
H3176	ST37	10	8	19	25
H3180	TM37			19	
H3190	ST19	7	8	19	
H3195	ST19	7	8	19	
H3303	ST10	6	8	19	25
H3309	ST28	10	8	19	25
H3311	ST28	10	8	19	25
H3311	TM28			19	
H3317	ST28	10	8	19	25
H3325	ST28	10	8	19	25
H3326	ST28	10	8	19	25
H3331	ST10	6	8	19	
H3342	TM28			19	
H3359	ST32	10	8	19	25
H3395	ST12	4	8	19	
H3406	ST38	10	8	19	25
H3408	ST38	10	8	19	25
H3409	ST38	10	8	19	25
H3710	ST12	6		19	
H3730	ST10	7		19	
H3734	ST9	9	8	19	25
H3840	ST9	4	8	19	25
F186	ST9	7		19	
F187	ST9	7		19	
F206	ST9	7		19	
F235	ST76	8		19	
F237	ST76	8		19	

PKS Zuschnittdekore ab Juni 2024

F243	ST76	8		19	
F323	ST20	8		19	
F416	ST10	7		19	
F417	ST10	7		19	
F500	ST20	6		19	
F528	ST20	8		19	
F634	ST76	8		19	
F635	ST76	8		19	
F638	ST10	7		19	
F765	ST20	5		19	
F800	ST9	7		19	

Blau gefärbte Felder markieren das Zuschnittprogramm von PKS

Die Felder mit den Plattenstärken wie 8,12,16,19,25 sind die Lagerdekore bei Egger

PKS Zuschnittdekore ab Juni 2024